

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Timbermate Water Based Woodfiller

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Timbermate Group
1042 N Mountain Suite 291
Upland CA 91786

Toll Free Phone (855)500-MATE
Phone: (909)931-2100
Fax: (909)543-4333
E-mail: kim@timbermategroup.com
Web: www.timbermategroup.com
Contact Person: Kim Middleton

1.4. Emergency telephone number

Emergency number : (855) 500-6283 and (909) 931-2100
(business hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Not classified

2.2. Label elements

GHS-US labeling

No labeling applicable

2.3. Other hazards

other hazards which do not result in classification : (Silica) Chemically and biologically inert when ingested in any of its physical forms. Chronic inhalation of certain samples of crystalline quartz, however, may cause a progressive pneumoconiosis commonly known as silicosis. Due to its physical form, exposure to this chemical is not likely.

2.4. Unknown acute toxicity (GHS-US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
Barium sulfate	(CAS No) 7727-43-7	< 75	Not classified
Guar gum	(CAS No) 9000-30-0	> 10	Not classified
Water	(CAS No) 7732-18-5	< 5	Not classified
Quartz	(CAS No) 14808-60-7	0,5 - 1	Carc. 1A, H350 STOT RE 2, H373

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical attention.

First-aid measures after skin contact : Wash skin with plenty of water and soap. Obtain medical attention if irritation persists.

First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Obtain medical attention if pain, blinking, tears or redness persist.

First-aid measures after ingestion : Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

Timbermate Water Based Woodfiller

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
Symptoms/injuries after skin contact	: May cause mild skin irritation.
Symptoms/injuries after eye contact	: Mild eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire. Foam. Carbon dioxide. dry chemical powder.
Unsuitable extinguishing media	: Do not use a water jet since it may cause the fire to spread.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.
Explosion hazard	: No direct explosion hazard.
Reactivity	: Stable under normal conditions of use.

5.3. Advice for firefighters

Firefighting instructions	: Keep upwind. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protective equipment for firefighters	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Eliminate all ignition sources if safe to do so.
------------------	--

6.1.1. For non-emergency personnel

Protective equipment	: Wear protective clothing as described in Section 8 of this safety data sheet.
Emergency procedures	: Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment	: Equip cleanup crew with proper protection.
----------------------	--

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	: Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not allow to enter into surface water or drains.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Avoid repeated or prolonged skin contact. Avoid breathing dust. Ensure adequate ventilation. No smoking. Keep away from children.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep only in original container. Keep container closed when not in use. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store in a dry, cool and well-ventilated place. Keep out of direct sunlight.
Incompatible materials	: None known.

7.3. Specific end use(s)

No additional information available

Timbermate Water Based Woodfiller

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Barium sulfate (7727-43-7)		
ACGIH	ACGIH TWA (mg/m ³)	5 mg/m ³ (inhalable fraction, particulate matter containing no asbestos and <1% crystalline silica)
OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)
Quartz (14808-60-7)		
ACGIH	ACGIH TWA (mg/m ³)	0,025 mg/m ³ (respirable fraction)
OSHA	Remark (OSHA)	(3) See Table Z-3.

8.2. Exposure controls

Appropriate engineering controls	: Use adequate general or local ventilation to keep airborne concentrations below the exposure limits.
Personal protective equipment	: Gloves. Protective goggles. Protective clothing.
	
Materials for protective clothing	: Long sleeved protective clothing.
Hand protection	: Wear suitable gloves resistant to chemical penetration.
Eye protection	: In case of dust production: protective goggles.
Respiratory protection	: No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation. If airborne concentrations are above the applicable exposure limits, use approved respirator for dust.
Environmental exposure controls	: Avoid discharge to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Paste.
Color	: Colored
Odor	: Mild odor
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: Not applicable
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: Not available
Density	: ≈ 2,13 Weight/Gallon: approx. 18 lbs/gal
Solubility	: Water: Not available
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available

Timbermate Water Based Woodfiller

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Viscosity, kinematic : No data available
Viscosity, dynamic : No data available

9.2. Other information

VOC content : None

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions of use.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use. Hazardous polymerization will not occur.

10.3. Possibility of hazardous reactions

No dangerous reactions known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Likely routes of exposure : Ingestion; Inhalation; Skin and eye contact
Acute toxicity : Not classified
(Based on available data, the classification criteria are not met)

Guar gum (9000-30-0)	
LD50 oral rat	6770 mg/kg
Water (7732-18-5)	
LD50 oral rat	> 90 ml/kg

Skin corrosion/irritation : Not classified
(Based on available data, the classification criteria are not met)
Serious eye damage/irritation : Not classified
(Based on available data, the classification criteria are not met)
Respiratory or skin sensitization : Not classified
(Based on available data, the classification criteria are not met)
Germ cell mutagenicity : Not classified
(Based on available data, the classification criteria are not met)
Carcinogenicity : Not classified
(Based on available data, the classification criteria are not met. Exposure is not expected under normal condition of use.)

Quartz (14808-60-7)	
IARC group	1 - Carcinogenic to humans
National Toxicology Program (NTP) Status	2 - Known Human Carcinogens
In OSHA Hazard Communication Carcinogen list	Yes

Reproductive toxicity : Not classified
Specific target organ toxicity (single exposure) : Not classified
Specific target organ toxicity (repeated exposure) : Not classified
Aspiration hazard : Not classified
Potential Adverse human health effects and symptoms : When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
Symptoms/injuries after skin contact : May cause mild skin irritation.
Symptoms/injuries after eye contact : Mild eye irritation.

Timbermate Water Based Woodfiller

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

12.2. Persistence and degradability

Timbermate Water Based Woodfiller	
Persistence and degradability	Product is not easily biodegradable.

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on the global warming : No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose of waste in accordance with local regulations.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated for transport

Additional information

Other information : No supplementary information available.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

Barium sulfate (7727-43-7)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Quartz (14808-60-7)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Guar gum (9000-30-0)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Water (7732-18-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Barium sulfate (7727-43-7)	
Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
Quartz (14808-60-7)	
Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Class D Division 2 Subdivision A - Very toxic material causing other toxic effects
Guar gum (9000-30-0)	
Listed on the Canadian DSL (Domestic Substances List)	

Timbermate Water Based Woodfiller

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Water (7732-18-5)	
Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria

EU-Regulations

Barium sulfate (7727-43-7)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) Listed on ELINCS (European List of Notified Chemical Substances)
Quartz (14808-60-7)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Guar gum (9000-30-0)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Water (7732-18-5)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Barium sulfate (7727-43-7)
Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Quartz (14808-60-7)
Listed on IARC (International Agency for Research on Cancer) Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed as carcinogen on NTP (National Toxicology Program) Listed on the Canadian IDL (Ingredient Disclosure List)
Guar gum (9000-30-0)
Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on INSQ (Mexican national Inventory of Chemical Substances) Listed on Turkish inventory of chemical
Water (7732-18-5)
Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

15.3. US State regulations

Quartz (14808-60-7)				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
Yes	No	No	No	

SECTION 16: Other information

Other information : None.

Full text of H-statements:

Carc. 1A	Carcinogenicity, Category 1A
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
H350	May cause cancer
H373	May cause damage to organs through prolonged or repeated exposure

Timbermate Water Based Woodfiller

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

SDS US (GHS HazCom 2012)

This SDS summarizes our best knowledge of the Health and Safety Hazard information of the product and how to safely handle and use the product in the workplace. Each user must review this SDS in the context of how the product will be handled and used in the workplace. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact Timbermate Group Company, so we can attempt to obtain additional information from our suppliers. Our responsibility for products sold is subject to our Standard Terms and Conditions, A copy of which is sent to our customers and is also available on request.